



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/991,016	11/16/2001	Kirk Kobmann	OB008DH-1	2966

7590 04/06/2004

ORSCHELN MANAGEMENT CO
2000 US HWY 63 SOUTH
MOBERLY, MO 65270

EXAMINER

PICKARD, ALISON K

ART UNIT	PAPER NUMBER
----------	--------------

3676

DATE MAILED: 04/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/991,016

Applicant(s)

KOBMANN ET AL.

Examiner

Alison K. Pickard

Art Unit

3676

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____ | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1 and 5 are rejected under 35 U.S.C. 102(e) as being anticipated by Larsen '305.

Larsen discloses a non-symmetrical tub having plural fastening features/tabs, and heat expandable material. As seen best in Figure 4 (and col. 4, lines 33-37), the material 16, can be located about a periphery of the tub.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1, 3, and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takabatake '914.

Takabatake discloses a sealing device comprising a non-symmetrical tub 31 having a locking feature 36 (weldable metal). Heat activated sealant 21 contacts the tub. The tub can be injection-molded (see col. 7, lines 58-60). The seal and sealant contacts at least three, metallic,

Art Unit: 3676

automotive members 1, 2, and 3 (Fig. 2). The sealant is located about a periphery of the tub.

Takabatake does not disclose plural locking features. Using plural locking features is considered a design choice. See *In re Harza* 124 USPQ 378 (CCPA 1960). Multiple locking features would enhance the stability of the tub. And, it is known to use plural locking features with a sealing device as evidenced by Larsen. Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to use plural locking features as a matter of choice in design.

5. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Larsen.

Larsen does not disclose that the tub is made of polyethylene terephthalate. Making the tub from this material is considered a design choice. It is not considered inventive to select a known material based on its suitability for its intended use. See *In re Leshin*, 125 USPQ 416 (CCPA 1960). Polyethylene terphthalate is a known moldable material (as evidenced by Applicant, spec. page 4). Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to make the component from polypropylene as a matter of choice in design.

6. Claims 2, 3, 6, 7, 9-12, 14-16, and 18-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamamuro (5,829,824) in view of Larsen (6,419,305).

Yamamuro discloses three adjacent metallic automotive members 17 (or 15), 4, and 14 that form a cavity (see Fig. 2). The members comprise a floor pan 14, wheelhouse 4, and rail or sheet metal 15. Yamamuro does not disclose a cavity seal/pan extension or heat expandable sealant. Larsen teaches the use of a cavity seal between adjacent automotive members (col. 4, lines 1-16). The seal provides structural reinforcement and damping characteristics (i.e. for

Art Unit: 3676

noise, dust, etc.). Larsen teaches that the cavity sealer is an injection-molded component shaped to fit within the cavity formed by the automotive members. The sealer 14 is secured in place within the cavity by integral locking tabs (see Fig. 4) and then is sealingly secured to the members by a heat-activated sealant 16. The sealer 14 comprises a fiber-reinforced thermoset (see col. 9, line 54). Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to modify the body structure disclosed in Yamamuro by reinforcing the cavity formed by the three members with the cavity sealer taught by Larsen to reinforce the structure and offer damping characteristics against force, noise, etc.

Regarding claim 10 (and 16), Larsen discloses the component can be made from an injection-molded polymer. However, Larsen does not disclose that the component is formed from polypropylene. Making the component from polypropylene is considered a design choice. It is not considered inventive to select a known material based on its suitability for its intended use. See *In re Leshin*, 125 USPQ 416 (CCPA 1960). Polypropylene is a known rigid material used in sealing components as evidenced by Walser. Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to make the component from polypropylene as a matter of choice in design.

7. Claims 12-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yamamuro in view of Takabatake in view of Larsen.

Yamamuro discloses at least two (three) adjacent metallic automotive members 17 (or 15), 4, and 14 that form a cavity (see Fig. 2). The members comprise a floor pan 14, wheelhouse 4, and rail or sheet metal 15. Yamamuro does not disclose a cavity seal/pan extension or heat expandable sealant. Takabatake teaches a cavity seal comprising a member 31 having a heat

Art Unit: 3676

expandable sealant 21. The member is non-symmetrical, has a cavity, and an opening (see between walls 83 in Fig. 6). The member includes a weldable insert 36. Takabatake teaches that the cavity seal is placed in a cavity formed by automotive members and offers damping power and sound insulation. Takabatake does not disclose that the material of the member 31 is a thermoplastic or that it comprises a compressible locking tab. Larsen teaches a cavity sealer that is held in place within a cavity by fasteners (seen in Fig. 4). Larsen also teaches that cavity seal has a member that can be made from a thermoplastic (nylon) material or metal. Thermoplastics can be injection-molded for easy manufacture. Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to modify Yamamuro in view of Takabatake and further in view of Larsen to provide a seal with a easily manufactured member that can be effectively mounted and retained within a cavity formed by adjacent auto members to offer damping power and sound insulation.

Regarding claims 16 and 17, Neither Larsen or Yamamuro disclose the sealant is ethyl vinyl acetate or that the thermoplastic is one of polyester, polypropylene or polyethylene terephthalate. Making the items from these materials is considered a design choice. It is not considered inventive to select a known material based on its suitability for its intended use. See *In re Leshin*, 125 USPQ 416 (CCPA 1960). These materials are known to be used for sealing elements in automobiles as evidenced by Walser and Hanley '260. Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to make the sealant from ethyl vinyl acetate and to select the thermoplastic from one of polyester, polypropylene or polyethylene terephthalate as a matter of choice in design.

Response to Arguments

8. Applicant's arguments filed 1-2-04 have been fully considered but they are not persuasive.

Both Larsen and Takabatake disclose a sealant around a periphery of a tub. For example, Larsen specifically states the sealant can be placed along the tub in any form of "placement" (col. 4, lines 33-37) and shows the sealant at the periphery in Figure 4.

Regarding Applicants' arguments that neither Larsen nor Takabatake disclose the sealant "between" the components, the examiner disagrees. As clearly seen in Larsen and Takabatake, the sealant is between the tub and the adjacent components. Further, claim 21 does not require the sealant to be between the floor pan and two other components as argued by Applicants. The claims only require the sealant to be between the tub and the automotive members, which the prior art shows. Further the sealing device (of Larsen or Takabatake) placed "within" a hollow cavity formed by three adjacent automotive members will still result in the sealant being "between" the tub and members. The prior art is properly combined for the limitations as claimed. In other words, there are no limitations or structure present in the pending claims that would prevent a sealing device within a hollow cavity formed by automotive members from reading on the claims. Applicants' attempt to distinguish "between" from "within" is not persuasive.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


Art Unit: 3676

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alison K. Pickard whose telephone number is 703-305-0882. The examiner can normally be reached on M-F (10-7:30), with alternate Friday's off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Knight can be reached on 703-308-3179. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Alison K. Pickard
Primary Examiner
Art Unit 3676

AP